

Üntel Kablo Sanayi Ve Ticaret A.Ş.

Demirciler Köyü, Makine OSB, 6.Cadde No:4
41455 Dilovası/Kocaeli TURKEY

Dora UNER

Tel. +90-216-665-32-24
Fax +90-216-665-32-99
Mail:
ueneri@tr.tuv.com
Istanbul, 28.05.2018

Letter of Confirmation

Product: Cable

Voltage	Type	Crossection (mm ²)
150/250V	BS 7917 TYPE SW4 (C)3PR	1,5
0,6/1kV	NEK 606 BFOU(P5/P12)	3x25
640/1100V	BS 6708 TYPE 63	3x4
1/1kV	AS/NZS 1802 TYPE 241.1	3x10
640/1000V	BS 6708 TYPE 11	3x16+16
1/1kV	AS/NZS 1802 TYPE 209. 1	3x6
1/1kV	AS/NZS 1802 TYPE 275	3X16

TÜV Rheinland Group herewith confirms that Mining, Off-shore and Marine cables designed and manufactured by Üntel Kablolari San. Ve Tic A.Ş. in above mentioned table have been evaluated and found to be in compliance with Annex E (Restricted breathing test for cables) of IEC 60079-14:2013 Explosive atmospheres -- Part 14: Electrical installations design, selection and erection in test report 50134332 001.

Kind regards,


TÜV Rheinland
Uluslararası Standartlar
Sertifikasyon ve Denetim A.Ş.

Dora UNER
TÜV Rheinland
Product Safety and Quality